



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/626,232	07/24/2003	Tushar Raval	CE09386R	1289
22917	7590	03/09/2006	EXAMINER	
MOTOROLA, INC. 1303 EAST ALGONQUIN ROAD IL01/3RD SCHAUMBURG, IL 60196			PEREZ, JULIO R	
			ART UNIT	PAPER NUMBER
			2681	

DATE MAILED: 03/09/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) The invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-23 are rejected under 35 U.S.C. 102(e) as being anticipated by Cheng et al. (hereinafter Cheng), [2003/0224774].

Regarding claim 1, Cheng discloses in a packet data communication system comprising a source base station subsystem (BSS), a target BSS, and a mobile station serviced by the source BSS, a method for detecting a cell reselection without an intervention of a Serving GPRS Support Node (SGSN) comprising steps of: maintaining a record of at least one active mobile station (0006-0010); receiving, from a mobile station of the at least one active mobile station, a message requesting allocation of a communication channel at the target BSS (0006, 0010, a request for channel allocation is received); in response to receipt of the communication channel allocation request, allocating a communication channel at the target BSS to the mobile station (0006, lines 6-12; 0010, when requesting to make a change to another cell, a request is received for channel allocation); informing the mobile station of the allocated communication channel (0010); receiving, by the target BSS from the mobile station, uplink data that includes a

Art Unit: 2681

mobile station identifier associated with the mobile station (0010); and determining, based on the uplink data and by reference to the record, that the mobile station has initiated a cell reselection (0011).

Regarding claim 2, Cheng discloses, further comprising a step of, upon determining that the mobile station has initiated a cell reselection, removing data stored in a buffer associated with the mobile station and the source base station subsystem (0011).

Regarding claim 3, Cheng discloses, wherein the step of removing data comprises a step of deleting data stored in a buffer associated with the mobile station and the source base station subsystem (0011).

Regarding claim 4, Cheng discloses, further comprising a step of, upon determining that the mobile station has initiated a cell reselection, terminating an allocation of a communication channel to the mobile station at the source base station subsystem (0006, 0010-0011).

Regarding claim 5, Cheng discloses, further comprising a step of acknowledging the uplink data (0009-0011).

Regarding claim 6, Cheng discloses, wherein the uplink data comprises first uplink data, and wherein the method further comprises steps of: receiving second uplink data from the mobile station, wherein the second uplink data does not include the mobile station identifier included in the first uplink data (0006, 0010-0011); and routing the second uplink data to a Serving GPRS Support Node (0006, 0010-0011).

Regarding claim 7, Cheng discloses, further comprising a step of determining, by the Serving GPRS Support Node and based on the second uplink data, that the mobile station has initiated a cell reselection (0006, 0010-0011).

Regarding claim 8, Cheng discloses, in a packet data communication system comprising a source base station subsystem (BSS), a target BSS, and a mobile station serviced by the source BSS, a method for detecting a cell reselection without an intervention of a Serving GPRS Support Node (SGSN) comprising steps of: maintaining a record of at least one active mobile station (0006-0010); receiving, from a mobile station of the at least one active mobile station, a message requesting allocation of a communication channel at the target BSS (0006, 0010, a request for channel allocation is received); in response to receipt of the communication channel allocation request, allocating a communication channel at the target BSS to the mobile station (0006, 0010); informing the mobile station of the allocated communication channel (0010); initiating a count down of a predetermined time period (0010, lines 17-22, 41-50); and when no uplink data is received via the source BSS after the initiation of the count down and prior to the expiration of the predetermined time period, determining that the mobile station has performed a cell reselection (0006, 0010-0011).

Regarding claim 9, Cheng discloses, further comprising a step of when uplink data is received via the source base station subsystem after the initiation of the count down and prior to the expiration of the predetermined time period, determining that the mobile station is still serviced by the source base station subsystem (0006, 0010-0011).

Regarding claim 10, Cheng discloses, further comprising a step of, when no uplink data is received via the source BSS after the initiation of the count down and prior to the expiration of the predetermined time period, removing data from a buffer associated with the mobile station and the source BSS (0006, 0010-0011).

Regarding claim 11, Cheng discloses, wherein the step of removing data comprises a step of deleting data stored in a buffer associated with the mobile station and the source base station subsystem (0011).

Regarding claim 12, Cheng discloses, further comprising a step of, when no uplink data is received via the source base station subsystem and the initiation of the count down and prior to the expiration of the predetermined time period, terminating an allocation of communication resources to the mobile station at the source base station subsystem (0006, 0010-0011).

Regarding claim 13, Cheng discloses a packet control unit comprising: a memory device that maintains a record of at least one active mobile station (0006-0010); and a processor operably coupled to the memory device that receives, from a mobile station of at least one active mobile station, a message requesting allocation of a communication channel at a target base station subsystem (BSS), allocates a communication channel at the target BSS to the mobile station (0006, 0010, a request for channel allocation is received), informs the mobile station of the allocated communication channel (0010), receives, from the mobile station and via the target BSS, uplink data (0006-0010-0011), and determines, based on the uplink data and by

Art Unit: 2681

reference to the record, that the mobile station has initiated a cell reselection (0006-0010-0011).

Regarding claim 14, Cheng discloses, further comprising a buffer operably coupled to the processor, wherein the buffer is associated with the mobile station and with a source base station subsystem and wherein, upon determining that the mobile station has initiated a cell reselection, the processor removes data stored in the buffer (0006, 0010-0011).

Regarding claim 15, Cheng discloses, wherein the processor removes data from the buffer by deleting the data stored in the buffer (0006, 0010-0011).

Regarding claim 16, Cheng discloses, wherein the buffer associated with the mobile station and with a source base station subsystem comprises a first buffer and wherein the processor removes data from the buffer by transferring the data to a second buffer associated with the mobile station and with the target base station subsystem (0006, 0010-0011).

Regarding claim 17, Cheng discloses, wherein the processor, upon determining that the mobile station has initiated a cell reselection, further causes a termination of an allocation of a communication channel to the mobile station at the source base station subsystem (0006, 0010-0011).

Regarding claim 18, Cheng discloses, wherein the processor further acknowledges the uplink data (0006, 0010-0011).

Regarding claim 19, Cheng discloses, wherein the uplink data comprises first uplink data, wherein the packet control unit receives second uplink data from the mobile

Art Unit: 2681

station, wherein the second uplink data does not include the mobile station identifier included in the first uplink data, and wherein the processor further routes the second uplink data to a Serving GPRS Support Node (0006, 0010-0011).

Regarding claim 20, Cheng discloses, a packet control unit comprising: a memory device that maintains a record of at least one active mobile station (0006-0010); a timer (0010, lines 17-22, 41-50); and a processor operably coupled to each of the memory device and the timer that receives, from a mobile station of at least one active mobile station (0006, 0010-0011), a message requesting allocation of a communication channel at a target base station subsystem (BSS) (0006, 0010-0011), allocates a communication channel at the target BSS to the mobile station (0006, 0010-0011), initiates a count down of a predetermined time period with reference to the timer and (0006, 0010-0011), when no uplink data is received by the packet control unit via the source base station subsystem after the initiation of the count down and prior to the expiration of the predetermined time period, determines that the mobile station has performed a cell reselection (0006, 0010-0011).

Regarding claim 21, Cheng discloses, wherein, when uplink data is received via a source base station subsystem after the initiation of the count down and prior to the expiration of the predetermined time period, the processor further determines that the mobile station is still serviced by the source base station subsystem (0006, 0010-0011).

Regarding claim 22, Cheng discloses, wherein, when no uplink data is received via the source base station subsystem after the initiation of the count down and prior to the expiration of the predetermined time period, the processor further removes data

Art Unit: 2681

from a buffer associated with the mobile station and the source base station subsystem (0006, 0010-0011).

Regarding claim 23, Cheng discloses, wherein a when no uplink data is received via the source base station subsystem after the initiation of the count down and prior to the expiration of the predetermined time period, the processor further causes a termination of an allocation of communication resources to the mobile station at the source base station subsystem (0006, 0010-0011).

Conclusion


3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julio R. Perez whose telephone number is (571) 272-7846. The examiner can normally be reached on 7:00 - 4:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph H. Feild can be reached on (571) 272- 4090. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


3/2/06

Julio R Perez
Examiner
Art Unit 2681


JOSEPH FEILD
SUPERVISORY PATENT EXAMINER